



CIRRUSDX

FINAL

Accession #: F2025-000269

Name: Doe, John

DOB: 10/19/1950

MRN/SSN:

Sex: Female

Laboratory Information	Sample Information	Practice Information
<p>CirrusDx, Inc 77 Upper Rock Circle, 4th Floor Rockville, MD 20850 CLIA# 21D2130541 Dr. Todd Myers, Lab Director 240-813-8801 or reports@cirrusdx.com</p>	<p>Technician: CWS Date Collected: 8/6/2025 Date Received: 8/7/2025 Date Reported: 8/7/2025 Reporting Method: EMR</p>	<p>Name: Family Health Practice Provider: Winesap MD, Roma Address: 123 Apple Way Farmville MD 12345 Phone: 987-654-3210 Fax: (301) 621-4254 Email: results@appurology.com</p>

Testing Information

Test Name: FLU/RSV	Test Method: Real-Time PCR (Molecular)	Specimen Type: Nasal
---------------------------	-----------------------------------------------	-----------------------------

Pathogen	Result
Influenza A	Detected
Influenza B	Not Detected
Respiratory Syncytial Virus	Not Detected

General Comments

None

Notes:

Questions including Clinical Consultation on Results: 240-813-8801 or reports@cirrusdx.com

Reference Range: Influenza A (Not Detected), Influenza B (Not Detected), Respiratory Syncytial Virus (RSV) (Not Detected).

It is the physician's responsibility to interpret the results provided and determine the appropriate (if any) treatment options.

The assays were developed and their performance characteristics were determined by CirrusDx. They have not been cleared or approved by the US Food and Drug Administration. The FDA does not require these tests to go through premarket FDA review. This test is used for clinical purposes. It should not be regarded as investigational or for research. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

This report has been reviewed and approved by:

Dr. Todd Myers, Laboratory Director

F-072.03