



CIRRUSDX

Accession #: C2025-000363

Name: Doe, John

DOB: 12/6/1986

MRN/SSN:

Sex: Female

FINAL

Laboratory Information	Sample Information	Practice Information
<p><b>CirrusDx, Inc</b> 77 Upper Rock Circle, 4<sup>th</sup> Floor Rockville, MD 20850</p> <p>CLIA# 21D2130541</p> <p>Dr. Todd Myers, Lab Director 240-813-8801 or reports@cirrusdx.com</p>	<p>Technician: CWS</p> <p>Date Collected: 8/6/2025 Date Received: 8/7/2025 Date Reported: 8/7/2025</p> <p>Reporting Method: EMR</p>	<p>Name: Family Health Practice</p> <p>Provider: Alexandra Mary, Elizabeth Address: 123 Apple Way Farmville MD 12345 Phone: 987-654-3210 Fax: (301) 621-4254 Email: results@appleurology.com</p>

### Testing Information

<b>Test Name:</b> SARS-CoV-2	<b>Test Method:</b> Real-Time PCR (Molecular)	<b>Specimen Type:</b> Oropharyngeal
------------------------------	---	-------------------------------------

### Pathogen

SARS-CoV-2	<b>Detected</b>
------------	-----------------

### General Comments

None

#### Notes:

Questions including Clinical Consultation on Results: 240-813-8801 or reports@cirrusdx.com

**Reference Range:** SARS-CoV-2: Not Detected

It is the physician's responsibility to interpret the results provided and determine the appropriate (if any) treatment options. This laboratory is certified under the Clinical Laboratory Improvement Amendments (CLIA) as qualified to perform high complexity clinical laboratory testing.

The assays were developed and their performance characteristics were determined by CirrusDx. This test has received FDA approval under the emergency use authorization FDA guidance docket number FDA-2020-D-0987.

For more information and fact sheets, please refer to [www.cirrusdx.com](http://www.cirrusdx.com)

This report has been reviewed and approved by:

Dr. Todd Myers, Laboratory Director

F-107.05